# EARTH'S ALLY PRO

DSZSZ

# FUNGICIDE & BACTERICIDE

CONTRO

## FOR INDOOR, OUTDOOR & GREENHOUSE USE

- KILLS COMMON PLANT DISEASES
- ZERO RE-ENTRY INTERVAL
- LEAVES NO HARMFUL RESIDUE
- PROVEN BEE SAFE\*



Active Ingredients	1.07%
Citric Acid	1.07%
Other Ingredients	98.93%
Water, Lactose, Ethyl Lactate, Po	tassium
Sorbate, Sodium Benzoate, Sodiu	m Acetate

Total ......100.00%

**CAUTION:** Keep out of reach of children Net Contents 2.5 Gallons (320 fl. oz.)











Shake Well Before and During Use Read Entire Label Before Use

### **USE FOR ALL PLANTS, TREES, LAWN & TURF:**

Orchards, Food Crops, Ornamentals, Houseplants, Lawn & Turf.

**FOR ORGANIC PRODUCTION:** A new generation of disease control formulated from citric acid, Earth's Ally is an OMRI Listed<sup>®</sup> fungicide and bactericide that kills and prevents common plant and lawn diseases and leaves behind no harmful residue.

**FOLIAR DIRECTIONS:** Prior to mixing, shake the concentrate well. Dilute the concentrate at 1.2% for both preventative and curative application on plants and trees. Refer to Table for specific rate and treatment interval instructions. For maximum effectiveness, use at the first sign of disease. Avoid application when rainfall is expected with 24 hours. Using a sprayer that emits a fine mist, thoroughly spray the leaves and stems of the plant you are treating until there is runoff. As a curative treatment, spray, wait 4 hours, then repeat application a second time. Repeat this process every 3–5 days, until disease is controlled. As a preventative treatment, apply every 7 days. No limitation on the number of applications per growing cycle. No need to add a wetting agent. For additional safety, avoid use when pollinators are active.

**TURF DIRECTIONS:** Prior to mixing, shake the concentrate well. Dilute the concentrate at 2.0% for both preventative and curative application on turfgrass. Refer to Table for specific rate and treatment interval instructions. Apply every 7 days when conditions are conducive for disease development. Avoid application when rainfall is expected within 24 hours. Using a ground sprayer, thoroughly saturate the entire treatment area, wetting all soil surfaces. As a curative treatment, spray, wait 4 hours, then repeat application a second time. Repeat this process every 3–5 days, until disease is controlled. As a preventative treatment, apply every 7 days. Recommended spray volume is 2 gallons per 1,000 sq. ft. (or 87 gallons per acre). Complete coverage is essential for disease control. Do not mow or water after treatment until spray is thoroughly dry. SAFE FOR PEOPLE, PETS & PLANET When Used as Directed



**FOLIAR:** Controls & Prevents Powdery Mildew, Downy Mildew, Blight, Canker, Black Spot, Leaf Spot, Apple Scab, Leaf Curl.

**TURF:** Controls Brown Patch, Dollar Spot, Anthracnose, Rust.

#### SATISFACTION GUARANTEED:

Visit earthsallypro.com for details.

**PRECAUTIONARY STATEMENTS/FIRST AID:** Avoid getting in eyes or on skin or clothing. Harmful if swallowed. If contact occurs wash with large amounts of soap and water. If in eyes, rinse repeatedly with clean water for 15 minutes. Obtain medical attention for any persistent irritation.

**STORAGE:** Keep product at room temperature away from direct sunlight. Do not freeze.

**DISPOSAL:** Dispose of waste material in accordance with federal, state and local environmental laws and regulations. Recycle bottle when empty and do not reuse.

**CONDITIONS OF SALE:** Sarasota Green Group, LLC makes no warranties of merchantability or fitness for any purpose except expressed on this label. Buyer assumes all responsibility for safety and use not in accordance with label directions and precautions.

Sarasota Green Group, LLC represents that this product is a minimum risk pesticide and is exempt from registration under EPA FIFRA 25(b). This product is not EPA registered.

Proudly made in the USA. Manufactured by:



6801 Energy Court, Suite 201 Sarasota, FL 34240 800-550-6259

HOW TO APPLY					COVERAGE			
Use S	site	Application Type	Mix Rate	Application Rate	<b>Application Interval</b>	Makes (gal.)	Treats (sq. ft.)	Treats (acres)
Foliar	Preventative	1.20%	100 gal/acre	7 days	208	92,500	2.1	
	Curative	45 ml/gal 1.5 oz/gal		3–5 days				
Turf	Preventative	2.00%	/gal 87 gal/acre	7 days	125	62,500	1.3	
	Curative	75 ml/gal 2.5 oz/gal		3–5 days				